



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

II. *Astronomical Observations by the Missionaries at Pekin. Transmitted to the Supra-cargoes at Canton, by the Rev. Father Louis Cipolla, of the Tribunal of Mathematics, and communicated to the Royal Society by the Court of Directors of the East-India Company*.*

PREFACE, BY THE ASTRONOMER ROYAL.

Redde, Nov. 4, 1773. **M**OST of the following Observations appear to have been made with a telescope of eight feet, to which a micrometer, for measuring differences of right ascension and declination was occasionally adapted. There was besides another telescope of eight feet, consisting of two object-glasses, in the manner of RÖEMER, which might be brought nearer together or separated, in order that the moon's diameter might completely fill a fine reticule, in the focus, divided into twelve equal parts, for measuring the digits eclipsed in lunar eclipses. It is mentioned in the account of the lunar eclipse of Nov. 12, 1761, that

* The Society was favoured with another copy of these Observations by John Blake, Esq. of Parliament-street, to whom they were transmitted by his son John Bradby Blake, Esq. Supra-cargo at Canton.

the clock was regulated by a transit instrument. It is therefore probable, it was regulated in the same manner in all the succeeding observations, which consist of the following particulars.

1. Observations of the last transit of Venus over the Sun, viz. of differences of right ascension and declination between Venus and the Sun, and the internal and external contact of the limbs at the egress. It is however remarked, that the clock was counted by a person, who was sometimes found to make mistakes.

2. The eclipse of the Sun, May 25, 1770. The beginning and end were observed, and the lucid parts measured, during the eclipse, with the micrometer.

3. The beginning and end of the eclipse of the Moon, Oct. 23, 1771.

4. Emerſion of Jupiter from occultation by the Moon, July 5, 1770.

5. An Occultation of Spica Virginis by the Moon; the immerſion and emerſion both observed, Jan. 25, 1772.

6. The occultation of a ſtar in Scorpio by the Moon; the immerſion and emerſion both observed.

7. The obſervation of Venus in the Sun's parallel, Jan. 5, 1772, by taking the difference of right aſcenſion and declination of Venus and the Sun.

8. The total eclipse of the Moon, Nov. 12, 1761. The beginning, total immerſion, emerſion, and end, were obſerved by three different obſervers, with teleſcopes of 5, 7, and 8 feet, in the domeſtic obſervatory

vatory of the College of the Jesuits; where also all the former observations were made. The same eclipse was also observed at the Royal Observatory at Pekin, 14'' west of the Jesuit's College, with a telescope of 8 feet, composed of two object-glasses, with a reticule at the focus, divided into 12 equal intervals for measuring the digits eclipses, in the manner of RÖEMER. It is remarked, that the leaf, in which this observation was recorded, had been lost, and was found again, Oct. 12, 1772: on which account this observation was never transmitted to Europe before.

NEVIL MASKELYNE.

Transitus & infra discum ☉, die 4 Junii, anni
1769. Pekini, in residentiâ S. Josephi, tubo.
8 pedum, observatus.

Temp. ver. mat.

4	42	5	limbus occ. ☉ ad horarium						
4	44	21	limb. ort. ☉ ad hor.						
	2	16	mora diametri ☉	-	-	-	-	31	38
		4	mora diam. ♀	-	-	-	-		56
4	54	39	limb. occ. ☉ ad hor.						
4	55	55	centr. ♀ ad hor.						
	1	16	♀ à limb. bor. ☉	-	-	-	-	5	5
5	19	36	limb. occ. ☉ ad hor.						
5	20	45	centr. ♀ ad hor.						
	1	9	♀ à limb. bor. ☉	-	-	-	-	5	30
5	24	44	limb. occ. ☉ ad hor.						
5	25	52	centr. ♀ ad hor.						
	1	8	♀ à limb. bor. ☉	-	-	-	-	5	35
5	53	30	limb. occ. ☉ ad hor.						
5	54	30	centr. ♀ ad hor.						
	1	0	♀ à limb. bor. ☉	-	-	-	-	6	18
5	57	50	limb. occ. ☉ ad hor.						
5	58	49	centr. ♀ ad hor.						
		59	♀ à limb. bor. ☉	-	-	-	-	6	36
6	2	56	limb. occ. ☉ ad hor.						
6	3	53	centr. ♀ ad hor.						
		57	♀ à limb. bor. ☉	-	-	-	-	6	44
6	42	16	limb. occ. ☉ ad hor.						
6	43	3	centr. ♀ ad hor.						
		47	♀ à limb. bor. ☉	-	-	-	-	7	25

Temp.

Temp. ver. mat.

h	'	"							
6	51	42½	limbus occ. ☉ ad horarium						
6	52	27	cent. ♀ ad hor.						
		44	♀ à limb. bor. ☉	-	-	-	-	7	28
7	0	2	limb. occ. ☉ ad hor.						
7	0	44	cent. ♀ ad hor.						
		42	♀ à limb. bor. ☉	-	-	-	-	7	18
7	4	7½	limb. occ. ☉ ad hor.						
7	4	48	cent. ♀ ad hor.						
		40½	♀ à limb. bor. ☉	-	-	-	-	7	24
7	7	13	limb. occ. ☉ ad hor.						
7	7	53	cent. ♀ ad hor.						
		40	♀ à limb. bor. ☉	-	-	-	-	7	25
7	15	53	limb. occ. ☉ ad hor.						
7*	18	31	cent. ♀ ad hor.						
		38	♀ à limb. bor. ☉	-	-	-	-	7	33
7	52	36	limb. occ. ☉ ad hor.						
7	53	4	cent. ♀ ad hor.						
		28	♀ à limb. bor. ☉	-	-	-	-	8	10
7	58	5½	limb. occ. ☉ ad hor.						
7	58	32	cent. ♀ ad hor.						
		26½	♀ à limb. bor. ☉	-	-	-	-	8	14
8	3	2	limb. occ. ☉ ad hor.						
8	3	28	cent. ♀ ad hor.						
		†25½	♀ à limb. bor. ☉	-	-	-	-	8	24

* The same in both the manuscripts. But there must be an error either in this number, or that next above. S. HORSLEY.

† The manuscripts still agree. The error probably lies upon the number next but one preceding, viz. the time of the appulse of the ☉'s west. limb to the hor. wire; which may have been 8 3 2½. S. HORSLEY.

Temp. ver. mat.

h	'	"						
8	6	4 $\frac{1}{2}$	limbus occ. ☉ ad horarium					
8	6	29	cent. ♀ ad hor.					
		24 $\frac{1}{2}$	♀ à limb. bor. ☉	-	-	-	-	8 38
8	24	28 $\frac{1}{2}$	limb. occ. ☉ ad hor.					
8	24	48	cent. ♀ ad hor.					
		†29 $\frac{1}{2}$	♀ à limb. bor. ☉	-	-	-	-	8 50
8	26	2	limb. occ. ☉ ad hor.					
8	26	21	cent. ♀ ad hor.					
		19	♀ à limb. bor. ☉	-	-	-	-	8 58
9	6	50	Videtur ♀ prolongari, ac velut radios emittere offuscantes limbum facie oc- cidentalī Solis.					
9	7	32	Contactus interior circularis.					
9	22	8	limb. ort. ♀ ad horarium.					
9	24	19	limb. ort. ☉ ad hor.					
		2 11	♀ à limb. bor. ☉	-	-	-	-	9 54
9	26	32	Egref. tot. ♀ à ☉.					

Amice rogatus observationem hanc communem facio, quamvis non nimis confidam, ejus præfertim causâ, qui horologio aderat, et quem in notando tempore minus fidelem aliquando deprehendi. Eclipsin ☉ hâc ipsâ die spectandam nubes eripuerē.

† The manuscripts agree : but the error is manifest. Read 29 $\frac{1}{2}$. S. HORSLEY.

Eclipsis ☉, die 25 Maii, anni 1770. Pekini,
in residentiâ Sancti Josephi, tubo 8 pedum,
observatâ.

Temp. ver.

h ' " ' " "

Diam.☉ capta plur.= $33\frac{3}{4}$ Rev.=31 35 44

7 31 7 Cœperat Eclipsis.

7 31 0 Init arbitratum.

Pars ☉ illuminata.

7	38	11	-	-	-	-	-	-	-	29	25	35
7	39	34	-	-	-	-	-	-	-	27	54	21
7	40	40	-	-	-	-	-	-	-	27	27	44
7	42	23	-	-	-	-	-	-	-	26	47	6
7	43	45	-	-	-	-	-	-	-	26	10	40
7	45	14	-	-	-	-	-	-	-	25	56	40
7	46	21	-	-	-	-	-	-	-	25	32	31
7	47	49	-	-	-	-	-	-	-	25	7	37
7	49	25	-	-	-	-	-	-	-	24	42	24
7	50	30	-	-	-	-	-	-	-	24	11	34
7	51	59	-	-	-	-	-	-	-	23	35	8
7	54	32	-	-	-	-	-	-	-	22	50	19
7	55	47	-	-	-	-	-	-	-	22	36	18
7	57	25	-	-	-	-	-	-	-	22	19	29
7	58	26	-	-	-	-	-	-	-	21	51	28
7	59	29	-	-	-	-	-	-	-	21	37	27
8	0	36	-	-	-	-	-	-	-	21	16	26
8	1	52	-	-	-	-	-	-	-	21	1	1
8	2	57	-	-	-	-	-	-	-	20	44	13
8	4	18	-	-	-	-	-	-	-	20	30	11
8	5	25	-	-	-	-	-	-	-	20	23	11
8	6	42	-	-	-	-	-	-	-	20	9	10

Temp.

Temp. ver.			Pars ☉ illuminata.												
h	'	"											'	"	'''
8	7	49	-	-	-	-	-	-	-	-	-	-	19	42	33
8	9	35	-	-	-	-	-	-	-	-	-	-	19	32	45
8	10	49	-	-	-	-	-	-	-	-	-	-	19	1	56
8	13	1	-	-	-	-	-	-	-	-	-	-	18	58	44
8	13	56	-	-	-	-	-	-	-	-	-	-	18	54	56
8	15	30	-	-	-	-	-	-	-	-	-	-	18	39	31
8	16	55	-	-	-	-	-	-	-	-	-	-	18	32	30
8	18	20	-	-	-	-	-	-	-	-	-	-	18	31	6
8	20	30	-	-	-	-	-	-	-	-	-	-	18	29	42
8	21	33	-	-	-	-	-	-	-	-	-	-	18	24	6
8	23	2	-	-	-	-	-	-	-	-	-	-	18	28	18
8	25	30	-	-	-	-	-	-	-	-	-	-	18	38	6
8	27	12	-	-	-	-	-	-	-	-	-	-	18	40	55
8	28	30	-	-	-	-	-	-	-	-	-	-	18	47	55
8	35	34	-	-	-	-	-	-	-	-	-	-	19	21	33
8	37	58	-	-	-	-	-	-	-	-	-	-	19	36	57
8	39	24	-	-	-	-	-	-	-	-	-	-	19	41	9
8	41	16	-	-	-	-	-	-	-	-	-	-	19	48	9
8	44	14	-	-	-	-	-	-	-	-	-	-	19	55	10
8	46	47	-	-	-	-	-	-	-	-	-	-	21	2	25
8	48	2	-	-	-	-	-	-	-	-	-	-	21	22	2
8	49	16	-	-	-	-	-	-	-	-	-	-	21	31	51
8	50	26	-	-	-	-	-	-	-	-	-	-	21	48	40
8	52	37	-	-	-	-	-	-	-	-	-	-	22	2	40
8	56	42	-	-	-	-	-	-	-	-	-	-	23	51	57
8	58	19	-	-	-	-	-	-	-	-	-	-	24	42	24
9	0	17	-	-	-	-	-	-	-	-	-	-	25	7	37
9	1	41	-	-	-	-	-	-	-	-	-	-	25	17	26
9	2	58	-	-	-	-	-	-	-	-	-	-	25	24	27
9	5	52	-	-	-	-	-	-	-	-	-	-	26	44	18

Temp.

[39]

Temp. ver.			Pars ☉ illuminata.												
I	'	"											I	"	III
9	7	42	-	-	-	-	-	-	-	-	-	-	27	29	8
9	9	27	-	-	-	-	-	-	-	-	-	-	27	55	45
9	10	49	-	-	-	-	-	-	-	-	-	-	28	13	59
9	12	6	-	-	-	-	-	-	-	-	-	-	28	33	36
9	13	44	-	-	-	-	-	-	-	-	-	-	29	7	13
9	14	52	-	-	-	-	-	-	-	-	-	-	29	17	2
9	17	34	-	-	-	-	-	-	-	-	-	-	30	48	6
9	19	52	Finis Eclipseos.												

Eclipsis ☉, die 23 Octob. anni 1771. Pekini,
in residentiâ S. Josephi, per me ægrotum ob-
servata.

I ' "

11 22 6 Init. Eclipseos.

13 37 13 Finis.

Maximam Eclipsein non notavi.

4 à 6 testus, die 5 Julii 1770. Pekini, in residentiâ
Sancti Josephi, tubo 8 pedum, observatus.

Ingressum non observavi, tarde accedens ad observandum.

Temp. ver.

h / "

11 15

[illegible]

* The manuscripts agree. It is uncertain, whether the error be upon the number next preceding, or the next but one.

Temp.

Temp. ver.

h	'	"											'	"
8	59	3	u											
9	1	15	T											
	2	12	-	-	-	-	-	-	-	-	-	-	25	22
9	12	24	u											
9	14	40	T											
	2	16	-	-	-	-	-	-	-	-	-	-	25	37
9	19	11	u											
9	21	46	T											
	2	36	-	-	-	-	-	-	-	-	-	-	2	54 ⁸
9	28	29	u											
9	31	22	T											
	2	53	-	-	-	-	-	-	-	-	-	-	26	13
9	34	19	u											
9	37	20	T											
	3	1	-	-	-	-	-	-	-	-	-	-	26	22
9	14	56	u											
9	45	9	T											
	3	13	-	-	-	-	-	-	-	-	-	-	26	29
9	52	49	u											
9	56	*7	T											
	3	28	-	-	-	-	-	-	-	-	-	-	26	39
10	5	6	u											
10	8	53	T											
	3	47	-	-	-	-	-	-	-	-	-	-	26	43
10	14	37	u											
10	18	37	T											
	4	0	-	-	-	-	-	-	-	-	-	-	26	44

* It is so in both the manuscripts, but if the numbers next above and next below be right, this ought to be 17. S. HORLEY.

Adde sequentes observationes eodem tubo per me
factas.

In residentiâ Sancti Josephi.

* Spic. Virg. a & teſta, d. 25°. Jan. 1772.	
Ingr. 5 ^h 27' 41'' t. v. * a limb. bor. &	29 2
Egr. 6 34 07 * a limb. bor. &	19 30
Capta & diameter.	32 29

In residentiâ Sancti Josephi.

* Scorp. a & teſta, d. 29°. Jan. 1772.	
Ingr. 4 ^h 16' 35'' t. v. * a limb. auſt. &	13 0
Egr. 5 33 31 * a limb. auſt. &	20 9
Capta & diameter.	31 53

- - In collegio Pekin.

‡ in parallelo ☉ d. 5°. Jan. 1772.	
diam. ☉ - - - - -	
6 ^h 35' 47'' limb. ort. ☉ ad hor.	31 44
7 55 05 ‡ ad hor. a parallel. limb. bor.	22 11
3 16 15 diff. atc. diff. decl.	9 33

Eclipsis

Eclipsis Lunæ totalis, anno 1761, Novembris 12^o,
vespere observata, Pekini Sinarum.

In Observatorio domestico Collegii Soc. Jesu.

	P. Florian Bahr.	P. Ignatius Francisco.	P. Josephus Bernardo
	Tubo 5 pedum	Tubo 7 pedum.	Tubo 8 pedum.
	h / "	h / "	h / "
Initium Eclipses	5 29 12	5 28 4	5 29 3
Immers. tot. Lunæ	6 28 59	6 24 33	6 27 18
Init. emerf. Lunæ	8 2 37	8 7 2	8 4 23
Finis eclipses	9 4 32	9 4 42	9 3 52
Medium. ex init. } et fine - - }	7 16 52	7 16 23	7 16 27
Med. ex immer. } et emerf. - }	7 15 48	7 15 47	7 15 50
Et horum med.	7 16 20	7 16 5	7 16 8
Ex his confit med. eclipses		7 16 11	

Et observata sunt hæc ad pendulum, quod quotidie
ad solem et stellas exigitur, telescopia meridiano,
quod, vocant "l'instrument des passages."

In Observatorio Regio, tubo 8 pedum cum duobus objectivis et reticulo.

	h	'	"		h	'	"
Initium eclipses	5	27	30	Initium Emerf.	8	5	30
Digit. umbræ I.		32	30	Digit. lucis I.		11	0
II.		37	0	II.		16	0
III.		42	0	III.		21	30
IV.		47	0	IV.		26	30
V.		52	0	V.		31	0
VI.		57	0	VI.		35	30
VII. 6		2	0	VII.		41	0
VIII.		7	0	VIII.		46	0
IX.		11	0	IX.		50	30
X.		16	0	X.		55	0
XI.		22	0	XI.	9	0	0
Immerf. Lunæ tot.	27	0	0	Fimis eclips.		5	0

Ex his conficitur medium eclips. 7 16 20

Atqui constat observatorium regium orientalius esse collegio 14'' pend.

Observata sunt hæc ad horologium manuale bonæ notæ, quod ante cum eodem pendulo compositum, et post cum illo collatum sibi probe constitit, uti alias solet.

Tempora

Tempora sunt vera omnia. Numeri ab observatione intacti. Cœlum toto tempore serenum fuit, et quietum a vento; umbra tamen terræ admodum non terminata, præsertim initio: Luna in umbra semper clarè visa tota, margine bene terminato; quin tamen maculæ distinguerentur. Color Lunæ instar ferri candentis; post immersionem obscurior, et ante emersionem obscurior, quâ axem umbræ, in medio umbræ obscurior, quâ centrum terræ spectabat. Paulo ante initium emersionis visa stellula sic fati lucida, verticaliter Lunæ imminens, nempe in tubo situ inverso, distans a limbo Lunæ quasi $\frac{2}{3}$ diametri; et spes erat videndi hujus occultationem, antequam eclipsis finiret: sed vix digitus unus Lunæ emerfit, cum lumine Lunæ extincta videri desit. Porro,

	h	'	'	
Medium Eclip-	7	20	56	} Ad merid. Collegii hujus.
seos dabant				
tab.				
Institit. Astron. D. Monnier	7	23	20	
Ephemerides Parisienses, nescio ex quibus tabulis	7	22	26	
	7	15	39	
	7	33	33	

Folium, in quo præsens observatio erat notata, perditum fuerat, et, die 19 Octobris anni 1772, casu inventum; adeoque hæc observatio eclipses Lunæ nunquam in Europam fuit missa.